

TABULADOR 2009

NIVEL	RANGO	SUELDO	DEPENSA POR FAMILIAR	DEPENSA	TOTAL BRUTO	I.S.R.	FONDO DE PENSIONES	SERVICIO MEDICO	EGARRO FEDERAL	SEGURO DE VIDA	SEGURO DE RETIRO	TOTAL DE DEDUCCIONES	TOTAL NETO	PRIMA VACACIONAL	AGUINALDO 45 DIAS
		1103	1509	1511		01	02	04	26	50	77	1305		1306	
00		40,766.00	167,804.92	77.00	208,647.92	55,060.30	748.02	739.80	40.77	5,214.27	14.55	61,817.71	146,830.21	6,794.33	54,354.67
GA1	MAX	32,813.14	172,308.91	77.00	205,199.05	54,094.62	748.02	739.80	32.81	5,128.05	14.55	60,757.85	144,441.20	5,468.86	43,750.85
HA1	MAX	23,667.18	166,277.12	77.00	190,021.30	49,844.85	748.02	739.80	23.67	4,748.61	14.55	56,119.49	133,901.81	3,944.53	31,558.24
HB1	MAX	23,667.18	171,041.16	77.00	194,785.34	51,178.78	748.02	739.80	23.67	4,867.71	14.55	57,572.53	137,212.81	3,944.53	31,556.24
HC1	MAX	23,667.18	175,924.29	77.00	199,668.47	52,546.06	748.02	739.80	23.67	4,989.79	14.55	59,061.88	140,608.59	3,944.53	31,556.24
HC2	MAX	23,667.18	179,820.79	77.00	203,564.97	53,636.94	748.02	739.80	23.67	5,087.20	14.55	60,250.18	143,314.79	3,944.53	31,556.24
HC3	MAX	23,667.18	181,107.09	77.00	204,851.27	53,997.24	748.02	739.80	23.67	5,119.36	14.55	60,842.63	144,208.64	3,944.53	31,556.24
IA1	MAX	23,667.18	166,277.12	77.00	190,021.30	49,844.85	748.02	739.80	23.67	4,748.61	14.55	56,119.49	133,901.81	3,944.53	31,556.24
IB1	MAX	23,667.18	170,088.35	77.00	193,832.53	50,911.99	748.02	739.80	23.67	4,843.89	14.55	57,281.92	136,550.61	3,944.53	31,556.24
JA1	MAX	17,629.88	128,913.76	77.00	146,620.64	37,692.66	748.02	739.80	17.63	3,663.59	14.55	42,876.25	103,744.39	2,938.31	23,506.51
JB1	MAX	17,629.88	143,629.84	77.00	161,336.72	41,813.17	748.02	739.80	17.63	4,031.49	14.55	47,364.66	113,972.06	2,938.31	23,506.51
JB3	MAX	17,629.88	174,078.88	77.00	191,785.76	50,338.90	748.02	739.80	17.63	4,792.72	14.55	56,651.62	135,134.14	2,938.31	23,506.51
JC1	MAX	21,068.63	154,760.00	77.00	175,905.63	45,892.46	748.02	739.80	21.07	4,395.72	14.55	51,811.61	124,094.02	3,511.44	28,091.51
JC2	MAX	21,068.63	168,875.67	77.00	190,021.30	49,844.85	748.02	739.80	21.07	4,748.61	14.55	56,116.90	133,904.40	3,511.44	28,091.51
JC3	MAX	21,068.63	177,976.80	77.00	199,122.43	52,393.17	748.02	739.80	21.07	4,976.14	14.55	58,892.74	140,229.69	3,511.44	28,091.51
KA1	MAX	16,762.88	102,907.57	77.00	119,747.45	30,168.17	748.02	739.80	16.76	2,991.76	14.55	34,679.06	85,068.39	2,793.81	22,350.51
KA2	MAX	16,762.88	119,063.09	77.00	135,902.97	34,691.72	748.02	739.80	16.76	3,395.65	14.55	39,606.50	96,296.47	2,793.81	22,350.51
KA28	MAX	14,274.75	135,337.24	77.00	149,688.99	38,551.80	649.50	642.36	14.27	3,740.30	14.55	43,612.79	106,076.20	2,379.13	19,033.00
KA3	MAX	16,762.88	137,399.59	77.00	154,239.47	39,825.94	748.02	739.80	16.76	3,854.06	14.55	45,199.13	109,040.34	2,793.81	22,350.51
KB1	MAX	17,409.02	118,416.95	77.00	135,902.97	34,691.72	748.02	739.80	17.41	3,395.65	14.55	39,607.16	96,296.82	2,901.50	23,212.03
KB2	MAX	17,409.02	136,074.32	77.00	153,560.34	39,635.78	748.02	739.80	17.41	3,837.08	14.55	44,992.64	108,567.70	2,901.50	23,212.03
KB3	MAX	17,409.02	166,027.16	77.00	173,513.18	45,222.58	748.02	739.80	17.41	4,335.90	14.55	51,078.26	122,434.92	2,901.50	23,212.03
KC1	MAX	17,629.88	135,853.47	77.00	163,560.35	39,635.78	748.02	739.80	17.63	3,837.08	14.55	44,992.86	108,567.49	2,938.31	23,506.51
KC2	MAX	17,629.88	154,271.47	77.00	171,978.35	44,792.82	748.02	739.80	17.63	4,297.53	14.55	50,610.35	121,368.00	2,938.31	23,506.51
KC3	MAX	17,629.88	174,899.63	77.00	192,608.51	50,588.71	748.02	739.80	17.63	4,813.24	14.55	56,901.95	135,704.56	2,938.31	23,506.51
LA1	MAX	14,964.85	70,924.07	77.00	85,965.92	20,709.34	680.90	673.42	14.96	2,147.22	14.55	24,240.40	61,725.52	2,494.14	19,953.13
LA2	MAX	14,964.85	83,807.41	77.00	98,849.26	24,316.68	680.90	673.42	14.96	2,469.31	14.55	28,169.82	70,679.44	2,494.14	19,953.13
LA3	MAX	14,964.85	98,623.25	77.00	113,665.10	28,465.11	680.90	673.42	14.96	2,839.70	14.55	32,688.65	80,976.45	2,494.14	19,953.13
LB1	MAX	15,541.68	83,230.58	77.00	98,849.26	24,316.68	707.15	699.38	15.54	2,469.31	14.55	28,222.60	70,626.56	2,590.28	20,722.24
LB2	MAX	15,541.68	98,046.42	77.00	113,665.10	28,465.11	707.15	699.38	15.54	2,839.70	14.55	32,741.43	80,923.67	2,590.28	20,722.24
LC1	MAX	16,140.73	97,447.37	77.00	113,665.10	28,465.11	734.40	726.33	16.14	2,839.70	14.55	32,796.24	80,868.86	2,690.12	21,520.97
LC2	MAX	16,140.73	114,485.59	77.00	130,703.32	33,235.81	734.40	726.33	16.14	3,265.66	14.55	37,992.89	92,710.43	2,690.12	21,520.97
LC3	MAX	16,140.73	134,079.54	77.00	160,297.27	38,722.12	734.40	726.33	16.14	3,765.51	14.55	43,969.05	106,328.22	2,690.12	21,520.97
MA1	MAX	8,157.13	39,816.56	77.00	48,050.69	10,093.08	371.15	367.07	8.16	1,199.34	14.55	12,053.35	35,997.34	1,359.52	10,876.17
MA2	MAX	8,157.13	47,972.08	77.00	56,206.21	12,376.62	371.15	367.07	8.16	1,403.23	14.55	14,540.78	41,666.43	1,359.52	10,876.17
MA3	MAX	8,157.13	57,514.05	77.00	65,748.18	15,048.38	371.15	367.07	8.16	1,641.78	14.55	17,451.09	48,297.09	1,359.52	10,876.17
MB1	MAX	9,863.81	46,265.41	77.00	56,206.22	12,376.63	448.80	443.87	9.86	1,403.23	14.55	14,696.95	41,509.27	1,643.97	13,151.75
MB2	MAX	9,863.81	55,807.37	77.00	65,748.18	15,048.38	448.80	443.87	9.86	1,641.78	14.55	17,607.25	48,140.93	1,643.97	13,151.75
MB3	MAX	9,863.81	68,284.90	77.00	78,225.71	18,542.08	448.80	443.87	9.86	1,953.72	14.55	21,412.89	56,812.82	1,643.97	13,151.75
MC1	MAX	11,552.21	54,118.97	77.00	65,748.18	15,048.35	525.63	519.85	11.55	1,641.78	14.55	17,761.71	47,986.47	1,925.37	15,402.95
MC2	MAX	11,552.21	67,253.21	77.00	78,882.42	18,725.96	525.63	519.85	11.55	1,970.14	14.55	21,767.67	57,114.75	1,925.37	15,402.95
MC3	MAX	14,409.44	80,945.12	77.00	95,431.56	23,359.72	555.63	648.42	14.41	2,383.86	14.55	27,076.60	68,354.96	2,401.57	19,212.69
NA1	MAX	7,666.09	17,588.67	77.00	25,331.76	4,179.54	348.81	344.97	7.67	631.37	14.55	5,526.91	19,804.85	1,277.68	10,221.45
NA2	MAX	7,666.09	20,998.07	77.00	28,741.16	4,927.90	348.81	344.97	7.67	716.60	14.55	6,360.50	22,380.66	1,277.68	10,221.45
NA3	MAX	7,666.09	25,154.37	77.00	32,897.46	5,850.17	348.81	344.97	7.67	820.51	14.55	7,386.68	25,610.78	1,277.68	10,221.45
NB1	MAX	7,957.05	20,707.10	77.00	28,741.16	4,927.90	362.05	358.07	7.96	716.60	14.55	6,387.12	22,354.03	1,326.18	10,609.40
NB2	MAX	7,957.05	25,580.01	77.00	33,614.08	6,050.82	362.05	358.07	7.96	838.43	14.55	7,631.87	25,982.19	1,326.18	10,609.40
NB3	MAX	7,957.05	31,616.68	77.00	39,650.73	7,741.09	362.05	358.07	7.96	989.34	14.55	9,473.05	30,177.68	1,326.18	10,609.40
NC1	MAX	8,157.13	25,379.94	77.00	33,614.07	6,050.82	371.15	367.07	8.16	838.43	14.55	7,850.17	25,963.90	1,359.52	10,876.17
NC2	MAX	8,157.13	31,751.97	77.00	39,986.10	7,834.99	371.15	367.07	8.16	997.73	14.55	9,593.64	30,392.46	1,359.52	10,876.17
NC3	MAX	8,157.13	39,733.80	77.00	47,967.93	10,069.91	371.15	367.07	8.16	1,197.27	14.55	12,028.11	35,939.82	1,359.52	10,876.17
OA1	MAX	6,855.50	10,190.75	77.00	17,123.25	2,451.50	311.93	308.50	6.86	426.16	14.55	3,519.48	13,603.77	1,142.58	9,140.67
OA2	MAX	6,855.50	12,577.22	77.00	19,509.72	2,927.37	311.93	308.50	6.86	485.82	14.55	4,055.02	15,454.70	1,142.58	9,140.67
OA3	MAX	6,855.50	15,297.80	77.00	22,230.30	3,498.77	311.93	308.50	6.86	553.83	14.55	4,694.43	17,535.87	1,142.58	9,140.67
OB1	MAX	7,115.70	12,317.02	77.00	19,509.72	2,927.37	323.76	320.21	7.12	485.82	14.55	4,078.82	15,430.90	1,185.95	9,487.60
OB2	MAX	7,115.70	15,037.60	77.00	22,230.30	3,498.77	323.76	320.21	7.12	553.83	14.55	4,718.24	17,512.06	1,185.95	9,487.60
OB3	MAX	7,115.70	18,139.06	77.00	25,331.76	4,179.54	323.76	320.21	7.12	631.37	14.55	5,478.55	19,855.21	1,185.95	9,487.60
OC1	MAX	7,385.77	14,767.53	77.00	22,230.30	3,498.77	336.05	332.36	7.39	553.83	14.55	4,742.95	17,487.35	1,230.96	9,847.69
OC2	MAX	7,385.77	17,868.99	77.00	25,331.76	4,179.54	336.05	332.36	7.39	631.37	14.55	5,501.28	19,830.50	1,230.96	9,847.69
OC3	MAX	7,385.77	21,404.66	77.00	28,867.43	4,955.62	336.05	332.36	7.39	719.76	14.55	6,365.73	22,501.70	1,230.96	9,847.69
PC1	MAX	6,604.82	9,523.77	77.00	16,205.59	2,268.52	300.52	297.22	6.60	403.21	14.55	3,290.63	12,914.96	1,100.80	8,806.43
PC2	MAX	6,604.82	10,514.07	77.00	17,196.89	2,465.99	300.52	297.22	6.60	427.97	14.55	3,512.85	13,683.04	1,100.80	8,806.43
PC3	MAX	6,604.82	10,												